

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
PO. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/027,502	11/27/2001	Donald E. Mosing	504	1988
7	590 07/24/2003			
John D. Jeter			EXAMINER	
1403 Teche Drive St. Martinville, LA 70582			FLANDRO, RYAN M	
			ART UNIT	PAPER NUMBER
			3679	1,
			DATE MAILED: 07/24/2003	.4

Please find below and/or attached an Office communication concerning this application or proceeding.

•	Application No.	Applicant(s)					
Office Action Summers	10/027,502	MOSING, DONALD E.					
Office Action Summary	Examiner	Art Unit					
The MAILING DATE of this communication and	Ryan M Flandro	3679					
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the	s correspondence address					
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply of the No period for reply is specified above, the maximum statutory period was a Failure to reply within the set or extended period for reply will, by statute, any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	within the statutory minimum of thirty (30) of ill apply and will expire SIX (6) MONTHS frocause the application to become ABANDO	e timely filed days will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).					
1) Responsive to communication(s) filed on 12 N	<i>lay 2003</i> .						
2a)⊠ This action is FINAL . 2b)☐ Thi	s action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under <i>I</i> Disposition of Claims	±x parte Quayle, 1935 C.D. 11	, 453 O.G. 213.					
4)⊠ Claim(s) <u>1-10,12-16 and 18</u> is/are pending in t	he application.						
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1-10, 12-16, and 18</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or Application Papers	election requirement.						
9)☐ The specification is objected to by the Examiner							
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the	•						
11) The proposed drawing correction filed on							
If approved, corrected drawings are required in reply to this Office action.							
12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) ☐ The translation of the foreign language pro 15) ☐ Acknowledgment is made of a claim for domesti	visional application has been r	received.					
Attachment(s)	o priority under 30 0.5.0. 99 1	20 GNG/01 121.					
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Inform	nary (PTO-413) Paper No(s) al Patent Application (PTO-152)					

Application/Control Number: 10/027,502 Page 2

Art Unit: 3679

DETAILED ACTION

1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claim Objections

2. The objections to claims 4, 5, and 12 are hereby withdrawn in light of Applicant's Amendment submitted 12 May 2003. Claim 1 is, however, still objected to because of the following informalities: the period at the end of line 2 should be removed and/or replaced with a colon or a comma. Appropriate correction is required.

Claim Rejections - 35 USC § 112

- 3. In light of Applicant's cancellation of claims 11 and 17, the rejections set forth in the previous Office action under 35 USC §112, second paragraph, are hereby withdrawn. Claims 10 and 18 are, however, rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.
 - a. Claim 10. Recitation of "a pattern definable as an image" renders the claim indefinite because it is unclear what the phrase "definable as an image" means.
 - b. Claim 18. Recitation of the limitation "said elevated surface accumulation is definable as a symbol" renders the claim indefinite because it is unclear what the word "symbol" means in the context of the disclosure.

Art Unit: 3679

Claim Rejections - 35 USC § 102

- 4. Claims 1, 3-5, 8-10, 12, 15, 16, and 18 are rejected under 35 U.S.C. 102(b) as being anticipated by Guice (US 4,678,209).
 - a. Claim 1. Guice shows and discloses a die insert 20 having a front face 26 with pipe gripping teeth 32 and a generally parallel back face 22, 24; textured relief 34 formed on the surface of the back face 22, 24, for forming and engaging impressions in an opposing surface 14, 16 of a confining slip 12, when forced against the opposing surface 14, 16, to add skid resistance between the die insert 20 and the opposing surface 14, 16 of the slip 12 (see figures 1, 2, 4, and 5; column 3 line 39 column 4 line 46).
 - b. Claim 5. Guice shows and discloses a die insert 20 having generally parallel first 26 and second 22, 24 faces on opposite sides, said die insert 20 comprising a first of the faces 26 textured with projecting teeth 32 for gripping pipe surfaces; the second face 22, 24 textured with surface depressions 34 to reduce the surface area in contact with the mating surface 14, 16 of die insert carrying slips such that more than a selected normal loading of the die insert 20 will coin an impression of the textured surface 22, 24 of the die insert 20 into the mating surface 14, 16 of the related die insert carrying slip 12, for the purpose of reducing the tendency of the die insert 20 to slide on the slip 12 when the die insert 20 is carrying a substantial payload (see figures 1, 4, and 5; column 3 line 39 column 4 line 46).
 - c. Claim 12. Guice shows and discloses a die insert 20 having generally parallel first 26 and second 22, 24 faces, said die insert 20 comprising a first of the faces 26 textured with projecting teeth 32 for gripping pipe surfaces; and the second face 22, 24 textured with

Page 3

Application/Control Number: 10/027,502 Page 4

Art Unit: 3679

surface depressions 34 created to displace metal upward in the [vicinity] of the depression to present a small elevated surface accumulation of such limited effective collective load bearing area that the raised metal will be imbedded into the surface of the insert supporting surface 14, 16, when subjected to a preselected amount of force perpendicular to the second face 22, 24, to reduce the tendency for the insert 20 to slide on the insert supporting surface 14, 16 (see figures 1, 4, and 5; column 3 line 39 – column 4 line 46).

- d. Claims 3, 8, and 15. Guice shows and discloses said texture relief **34** is achieved by a plurality of generally transverse scribe lines (see figures 1 and 4).
- e. Claims 4, 9, and 16. Guice does not explicitly disclose said texture relief is achieved by acid etching of the surface of the back face. Nevertheless, the method of forming the device is not germane to the issue of patentability of the device itself. Therefore, this limitation has not been given patentable weight.
- f. Claim 10 (as best understood). Guice shows said textured surface 34 on said second face 22, 24 comprises a pattern definable as an image (see figure 4).
- g. Claim 18 (as best understood). Guice shows said elevated surface accumulation 34 is definable as a symbol (see figure 4).

Claim Rejections - 35 USC § 103

5. Claims 2, 6, 7, 13, and 14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Guice, as applied above, in view of Bee et al (US 5,971,086) (Bee). With regard to Claims 2, 6, 7, 13, and 14, Guice shows and discloses said textured relief 34 comprises a plurality of

Art Unit: 3679

generally transverse relief patterns, the relief representing surface depressions (see figure 4). Guice does not disclose said surface depressions of more than one one-thousandths inch. Bee, however, teaches surface depressions of more than one one-thousandths inch (two one-thousandths inch) so that the pipe die will still penetrate the surface of the pipe to maintain a positive grip while keeping the penetration of die teeth to a minimum. (see Bee column 2 lines 26-44). Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made modify the textured relief surface of Guice by providing surface depressions of more than one one-thousandths inch in order to provide minimum penetration while still maintaining a positive grip as taught by Bee.

Page 5

Response to Arguments

- 6. Applicant's arguments filed 12 May 2003 have been fully considered but they are not persuasive.
- 7. Applicant first argues that "[t]he Guice reference does not have a separate die and slip," and that the "slip is the die" and cannot "embed projections into the slip". The Examiner respectfully disagrees with this characterization of the Guice reference. As set forth in the previous Office action (paper no. 2, subsection 5a) as well as in the rejections above, Guice does in fact have a die 20 and a slip 12 which are separate and which is configured so that the die 20 may embed projections 34 into the slip. The fact that Guice refers to the die insert 20 as a "slip member" and also refers to the slip 12 as a "slip bowl" is irrelevant. Applicant's assertion in this regard is completely without merit.

Art Unit: 3679

8. Second, Applicant argues that "[n]owhere is it found that Guice anticipated the use of the textured surface as means to secure a die against vertical movement relative to a related slip." Again, the Examiner respectfully disagrees. Column 4, lines 15-46 of the disclosure of Guice explicitly describes the textured surface 34 as a means to secure a die 20 against vertical movement relative to a related slip 12 (see also figures 1, 2, 4, and 5). Even assuming, arguendo, that Guice does not disclose the use of the textured surface described therein as means to secure a die against vertical movement relative to a related slip, the fact that applicant has recognized another advantage which would flow naturally from following the suggestion of the prior art cannot be the basis for patentability when the differences would otherwise be obvious. See *Ex parte Obiava*, 227 USPO 58, 60 (Bd. Pat. App. & Inter. 1985).

Page 6

- 9. Third, Applicant argues that "there is no slip and die interface." The Examiner respectfully disagrees. The slip and die interface shown and disclosed by Guice exists where there is contact between slip surfaces 14 and 16 and die insert surfaces 22 and 24 (see especially figure 5).
- 10. Fourth, Applicant argues that Guice is fundamentally different from the present invention because the present invention makes "no effort . . . to prevent the wedging element (slip) from crushing pipe." In response, the Examiner points out that the features upon which applicant relies (i.e., the slip is capable of transmitting crushing loads to the pipe) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See *In re Van Geuns*, 988 F.2d 1181, 26

Art Unit: 3679

USPQ2d 1057 (Fed. Cir. 1993). Further, it must be noted that Guice discloses the invention as claimed. The fact that it discloses additional structure and, consequently, additional functionality, not claimed in the instant application is irrelevant.

Page 7

- 11. Lastly, as to Applicant's argument that the combination of Guice and Bee is improper because the combination eliminates the die/slip interface required by the present invention, the Examiner points to the response presented in paragraph 6 above.
- 12. Applicant's arguments in the final paragraph of Applicant's response (paper no. 3) fail to comply with 37 CFR 1.111(b) because they amount to a general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references. In order to be considered as evidence of patentability, these arguments must be presented in a signed affidavit filed under 37 CFR 1.132.

Conclusion

13. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37

Application/Control Number: 10/027,502 Page 8

Art Unit: 3679

CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event,

however, will the statutory period for reply expire later than SIX MONTHS from the mailing

date of this final action.

14. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Ryan M Flandro whose telephone number is (703) 305-6952.

The examiner can normally be reached on 8:30am - 5:30pm Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Lynne H Browne can be reached on (703) 308-1159. The fax phone numbers for the

organization where this application or proceeding is assigned are (703) 872-9326 for regular

communications and (703) 872-9327 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding

should be directed to the receptionist whose telephone number is (703) 308-1113.

RMF

July 22, 2003

Lynne H. Browne
Supervisory Patent Examiner

Technology Center 3670